A randomised controlled trial of Internet based cognitive behavioural psychotherapy for depression

Submission date Recruitment status [X] Prospectively registered 13/08/2004 No longer recruiting [] Protocol [] Statistical analysis plan Registration date Overall study status 08/11/2004 Completed [X] Results [] Individual participant data Last Edited Condition category 14/09/2009 Mental and Behavioural Disorders

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr David Kessler

Contact details

Division of Primary Care
University of Bristol
Cotham House
Cotham Hill
Bristol
United Kingdom
BS6 6JL
david.kessler@bristol.ac.uk

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

Study information

Scientific Title

Study objectives

To evaluate the clinical and cost effectiveness of Internet based cognitive behavioural therapy (webCBT) for depression compared to a waiting list control in primary care. A qualitative study will be done as part of the trial to assess the acceptability of the intervention to patients and health care providers.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Other

Study type(s)

Treatment

Participant information sheet

Health condition(s) or problem(s) studied

Depression

Interventions

Intervention: Up to eight one hour sessions of cognitive behavioural therapy (CBT) delivered online by a qualified psychologist.

Control: The control group will be on a waiting list for CBT of 8 months and will receive 'usual care' from their GP. This may include pharmacological treatment but will not include psychotherapy.

Intervention Type

Other

Phase

Not Specified

Primary outcome measure

The Beck depression inventory score at 2 months adjusted for baseline.

Secondary outcome measures

EQ5D and SF-12 at 8 months

Overall study start date

01/10/2005

Completion date

30/09/2008

Eligibility

Key inclusion criteria

Patients with GP diagnosed depression in primary care. Diagnosis must be confirmed by standardised psychological measure.

Participant type(s)

Patient

Age group

Not Specified

Sex

Not Specified

Target number of participants

470

Kev exclusion criteria

Does not match inclusion criteria

Date of first enrolment

01/10/2005

Date of final enrolment

30/09/2008

Locations

Countries of recruitment

England

United Kingdom

Study participating centre Division of Primary Care

Bristol United Kingdom BS6 6JL

Sponsor information

Organisation

University of Bristol (UK)

Sponsor details

Gillian Tallents
Research Governance Manager
Research and Enterprise Development
Senate House
Tyndall Avenue
Bristol
England
United Kingdom
BS8 1TH
Gillian.Tallents@bristol.ac.uk

Sponsor type

University/education

ROR

https://ror.org/0524sp257

Funder(s)

Funder type

Charity

Funder Name

BUPA Foundation (UK) (ref: 683/G14)

Alternative Name(s)

Funding Body Type

Private sector organisation

Funding Body Subtype

Trusts, charities, foundations (both public and private)

Location

United Kingdom

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	22/08/2009		Yes	No